










4 カ月ごとの水温変化_2020.8～ (Stn.3)






4 カ月ごとの水温変化_2021.8～ (Stn.3)





4 カ月ごとの水温変化_2022.8～ (Stn.3)






4 ヵ月ごとの水温変化_2023.8～ (Stn.3)



4 カ月ごとの水温変化_2024.8～ (Stn.3)






4 カ月ごとの塩分変化_2020.8～ (Stn.3)






コメント：

降雨後の表層水は塩分低下が見られる。




4 ヵ月ごとの塩分変化_2021.8～ (Stn.3)





4 カ月ごとの塩分変化_2022.8～ (Stn.3)






4 カ月ごとの塩分変化_2023.8～ (Stn.3)





4 カ月ごとの塩分変化_2024.8～ (Stn.3)






4 カ月ごとの溶存酸素（DO）変化_2020.8～（Stn.3）






4 カ月ごとの溶存酸素（DO）変化_2021.8～（Stn.3）





4 カ月ごとの溶存酸素（DO）変化_2022.8～（Stn.3）






4 カ月ごとの溶存酸素（DO）変化_2023.8～（Stn.3）






4 カ月ごとの溶存酸素（DO）変化_2023.8～（Stn.3）






4 カ月ごとのクロロフィル濃度変化_2020.8～ (Stn.3)






4 カ月ごとのクロロフィル濃度変化_2021.8～ (Stn.3)



4 カ月ごとのクロロフィル濃度変化_2022.8～ (Stn.3)



4 カ月ごとのクロロフィル濃度変化_2023.8～ (Stn.3)



4 カ月ごとのクロロフィル濃度変化_2024.8～ (Stn.3)

